

cover, for Link rails, horizontal and vertical, Terminal width: 6.2 mm, L: 80 mm, transparent, 2.5 mm², 6 mm²



Model				
product brand name		SETRON		
product designation		Cover		
design of the product		For connection bars		
printed marking		without		
direction of terminal marking		horizontal and vertical		
Appearance				
color		transparent		
connectable conductor cross-section finely stranded with core end processing				
• minimum	2.5 mm ²			
• maximum	6 mm ²			
Mechanical Design				
length		80 mm		
contact spacing		6.2 mm		
net weight		1 g		
General Product Approval		Declaration of Con- formity	other	Environment

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WA1822-7AX01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WA1822-7AX01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WA1822-7AX01

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

