



SIGNALLING COLUMN BUZZER ELEMENT CONTINUOUS SOUND OR PULSED ADJUSTABLE, 115V AC/DC

**General technical details:**

<b>product brand name</b>		SIRIUS
<b>product designation</b>		signaling columns element, accoustic
<b>Type of voltage</b>		
<ul style="list-style-type: none"> <li>• of the supply voltage</li> <li>• of the acoustic signal element</li> </ul>		AC
<b>Consumed current / for rated value of supply voltage</b>	mA	25
<b>Supply voltage / 1 / of the acoustic signal element</b>		
<ul style="list-style-type: none"> <li>• at 50 Hz / for AC / rated value</li> <li>• at 60 Hz / for AC / rated value</li> </ul>	V	115
	V	115
<b>Design of the acoustic signal type</b>		continuous tone / pulse tone
<b>Loudness level</b>	dB	80
<b>Item designation</b>		
<ul style="list-style-type: none"> <li>• according to DIN 40719 extendable after IEC 204-2 / according to IEC 750</li> <li>• according to DIN EN 61346-2</li> </ul>		H
		P

**Mechanical design:**

<b>Color / of the housing</b>		black
<b>External diameter / of the signal column element</b>	mm	70

### Ambient conditions:

<b>Ambient temperature</b> • during operating	°C	-20 ... +50
<b>Protection class IP</b>		IP65
<b>Product function / adjustable acoustic signal</b>		Yes
<b>Depth</b>	mm	70
<b>Height</b>	mm	56
<b>Width</b>	mm	70

### Certificates/approvals:

General Product Approval	EMC	Declaration of Conformity	Shipping Approval	
 GOST	 UL	 C-TICK	 EG-Konf.	 DNV

### Further information:

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

#### Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

#### Cax online generator:




<http://www.siemens.com/cax>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/8WD4440-0FA/all>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WD4440-0FA](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WD4440-0FA)



\W9.4444;  
\W6.8333; 8WD44...-

last change:

Jan 23, 2013