9007C52A

Limit switch 600 VAC 10amp c +options



Main

Device short name	С
Enclosure type	Compact
Series name	Heavy duty

Complementary

[In] rated current	10 A	
Body material	Zinc alloy	
Contact code designation	Q600	
	A600	
Contacts material	Silver alloy (Ag/Ni)	_
Contact operation	Snap action	
Maximum displacement angle	90 °	
Specificity of operator	Low differential	
Switch actuation	CW	
Tilting angle	5 °	
Torque value	0.5 N.m	
Tripping angle	2 °	

Environment

Ambient air temperature for operation	-20185 °F	_ ;
Product certifications	CSA[RETURN]CE[RETURN]UL listed	_ :

Packing Units

•		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	25.806 cm	
Package 1 Width	10.16 cm	
Package 1 Length	65.548 cm	
Package 1 Weight	566.991 g	

Offer Sustainability

phthalate (DINP), which is known to the State of California to cause ca and Di-isodecyl phthalate (DIDP), which is known to the State of Califo	Environmental Disclosure	Product Environmental Profile
phthalate (DINP), which is known to the State of California to cause ca and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information www.P65Warnings.ca.gov	Circularity Profile	No need of specific recycling operations
For all Reach Rohs enquiries contact us at sustainability@tesensors.com	California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
	For all Reach Rohs enquiries contact us at	sustainability@tesensors.com