

**STRIPAX PLUS 2.5 ZERT****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Cutting, stripping and crimping tools for connected wire-end ferrules strips**

- Cutting
- Stripping
- Crimping
- Automatic feeding of wire end ferrules
- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- Efficient: only one tool needed for cable work, and thus significant time saved

**General ordering data**

Version	Cutting, stripping and crimping tool, Crimping tool for wire-end ferrules, 0.5mm <sup>2</sup> , 2.5mm <sup>2</sup> , Trapezoidal crimp
Order No.	<a href="#">9011980000</a>
Type	STRIPAX PLUS 2.5 ZERT
GTIN (EAN)	4008190004613
Qty.	1 pc(s).

Creation date March 30, 2021 12:20:07 AM CEST

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

**STRIPAX PLUS 2.5 ZERT****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

Net weight	307 g	Weight	260 g
Width	210 mm	Width (inches)	8.268 inch

**Environmental Product Compliance**

REACH SVHC	Lead 7439-92-1
------------	----------------

**Technical data**

Description of article	(1)Crimping tool
------------------------	------------------

**Description of contact**

Conductor cross-section, max. AWG	AWG 14	Conductor cross-section, min. AWG	AWG 20
Crimping range, max.	2.5 mm <sup>2</sup>	Crimping range, min.	0.5 mm <sup>2</sup>
Type of contact	Strips of linked wire-end ferrules		

**tool data crimping**

Crimping profile 1, max.	0.75 mm <sup>2</sup>	Crimping profile 1, min.	0.5 mm <sup>2</sup>
Crimping profile 2, max.	1.5 mm <sup>2</sup>	Crimping profile 2, min.	1 mm <sup>2</sup>
Crimping profile 3, min.	2.5 mm <sup>2</sup>	Crimping type/profile	Trapezoidal crimp

**Classifications**

ETIM 6.0	EC002109	ETIM 7.0	EC002109
ECLASS 9.0	21-04-37-06	ECLASS 9.1	21-04-37-06
ECLASS 10.0	21-04-37-06	ECLASS 11.0	21-04-37-06

**Approvals**

Approvals

**Downloads**

User Documentation	<a href="#">Manual</a>
--------------------	------------------------

**STRIPAX PLUS 2.5 ZERT**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**



**Example of use**



**Example of use**

