

HTF RSV 16 WI**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Crimping tools for Weidmüller contacts for RSV and DSTV-HD systems**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With end stop for exact positioning of the contacts

General ordering data

Version	Pressing tool, Crimping tool for contacts, FoderBcrimp
Order No.	9013560000
Type	HTF RSV 16 WI
GTIN (EAN)	4008190161163
Qty.	1 pc(s).

HTF RSV 16 WI

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	457.48 g	Weight	445 g
Width	205 mm	Width (inches)	8.071 inch

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Technical data

Description of article	Crimping tools for Weidmüller RSV and DSTV-HD contacts, AWG 26-16	Version	Mechanical, without interchangeable inserts
------------------------	---	---------	---

Description of contact

Conductor cross-section, max. AWG	AWG 16	Conductor cross-section, min. AWG	AWG 26
Type of contact	RSV and DSTV-HD		

tool data crimping

Crimping profile 1, max.	24 AWG	Crimping profile 1, min.	26 AWG
Crimping profile 2, max.	20 AWG	Crimping profile 2, min.	22 AWG
Crimping profile 3, max.	20 AWG	Crimping profile 3, min.	22 AWG
Crimping profile 4, max.	18 AWG	Crimping profile 4, min.	16 AWG
Crimping type/profile	FoderBcrimp		

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ECLASS 9.0	21-04-38-11	ECLASS 9.1	21-04-38-11
ECLASS 10.0	21-04-38-11	ECLASS 11.0	21-04-38-11

Approvals

Approvals



Downloads

Approval/Certificate/Document of Conformity	Declaration of the Manufacturer
Engineering Data	WSCAD

HTF RSV 16 WI

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

