

**CTX CM 1.6/2.5 ZERT****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Crimping tools for turned contacts**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With stop for exact positioning of the contacts.

**General ordering data**

|            |                                                                                                |
|------------|------------------------------------------------------------------------------------------------|
| Version    | Pressing tool, Crimping tool for contacts,<br>0.14mm <sup>2</sup> , 4mm <sup>2</sup> , W crimp |
| Order No.  | <a href="#">9013690000</a>                                                                     |
| Type       | CTX CM 1.6/2.5 ZERT                                                                            |
| GTIN (EAN) | 4032248326419                                                                                  |
| Qty.       | 1 pc(s).                                                                                       |

Creation date March 30, 2021 12:21:35 AM CEST

## CTX CM 1.6/2.5 ZERT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |        |                |            |
|------------|--------|----------------|------------|
| Net weight | 750 g  | Weight         | 730 g      |
| Width      | 250 mm | Width (inches) | 9.842 inch |

## Environmental Product Compliance

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

## Technical data

|                        |                                                                              |
|------------------------|------------------------------------------------------------------------------|
| Description of article | Crimping tool for HD, HE and ConCept M10/M5 contacts, 0.14-4 mm <sup>2</sup> |
|------------------------|------------------------------------------------------------------------------|

## Description of contact

|                                   |                   |                                   |                      |
|-----------------------------------|-------------------|-----------------------------------|----------------------|
| Conductor cross-section, max. AWG | AWG 12            | Conductor cross-section, min. AWG | AWG 26               |
| Crimping range, max.              | 4 mm <sup>2</sup> | Crimping range, min.              | 0.14 mm <sup>2</sup> |
| Type of contact                   | Turned contacts   |                                   |                      |

## tool data crimping

|                          |                     |                          |                      |
|--------------------------|---------------------|--------------------------|----------------------|
| Crimping profile 1, max. | 0.5 mm <sup>2</sup> | Crimping profile 1, min. | 0.14 mm <sup>2</sup> |
| Crimping profile 2, max. | 1 mm <sup>2</sup>   | Crimping profile 2, min. | 0.75 mm <sup>2</sup> |
| Crimping profile 3, min. | 1.5 mm <sup>2</sup> | Crimping profile 4, min. | 2.5 mm <sup>2</sup>  |
| Crimping profile 5       | 4 mm <sup>2</sup>   | Crimping type/profile    | W crimp              |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000168    | ETIM 7.0    | EC000168    |
| ECLASS 9.0  | 21-04-38-11 | ECLASS 9.1  | 21-04-38-11 |
| ECLASS 10.0 | 21-04-38-11 | ECLASS 11.0 | 21-04-38-11 |

## Approvals

Approvals



## Downloads

|                    |                        |
|--------------------|------------------------|
| User Documentation | <a href="#">Manual</a> |
|--------------------|------------------------|

**CTX CM 1.6/2.5 ZERT**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

