

HTF DFF

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Crimping tools for for turned/stamped contact

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With stop for exact positioning of the contacts.

General ordering data

Version	Pressing tool, Crimping tool for contacts, 0.22mm², 2.5mm², FoderBcrimp
Order No.	9014140000
Type	HTF DFF
GTIN (EAN)	4008190297305
Qty.	1 pc(s).

HTF DFF

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	442 g	Weight	445 g
Width	205 mm	Width (inches)	8.071 inch

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Technical data

Description of article	Crimping tools for Weidmüller DFF contacts	Version	Mechanical, without interchangeable inserts
------------------------	--	---------	---

Description of contact

Conductor cross-section, max. AWG	AWG 14	Conductor cross-section, min. AWG	AWG 24
Crimping range, max.	2.5 mm ²	Crimping range, min.	0.22 mm ²
Type of contact	Weidmüller DFF		

tool data crimping

Crimping profile 1, max.	0.35 mm ²	Crimping profile 1, min.	0.22 mm ²
Crimping profile 2, max.	1 mm ²	Crimping profile 2, min.	0.5 mm ²
Crimping profile 3, max.	2.5 mm ²	Crimping profile 3, min.	1.5 mm ²
Crimping type/profile	FoderBcrimp	Wire end ferrules cross-section, max.	2.5 mm ²
Wire end ferrules cross-section, min.	0.22 mm ²		

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ECLASS 9.0	21-04-38-11	ECLASS 9.1	21-04-38-11
ECLASS 10.0	21-04-38-11	ECLASS 11.0	21-04-38-11

Approvals

Approvals



Downloads

Approval/Certificate/Document of Conformity

[Declaration of the Manufacturer](#)

HTF DFF

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Drawings

