

**KBZ 160****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

When working with live voltages, you must follow special guidelines and use special tools - tools which have been specially produced and tested for this purpose.

Weidmüller offers a complete line of pliers which comply with national and international testing standards.

All pliers are produced and tested according to DIN EN 60900.

The pliers are ergonomically designed to fit to the hand form, and thus feature an improved hand position. The fingers are not pressed together - this results in less fatigue during operation.

**General ordering data**

| Version    | Pliers                     |
|------------|----------------------------|
| Order No.  | <a href="#">9046280000</a> |
| Type       | KBZ 160                    |
| GTIN (EAN) | 4032248356478              |
| Qty.       | 1 pc(s).                   |

**KBZ 160****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

|            |        |                |            |
|------------|--------|----------------|------------|
| Net weight | 205 g  | Weight         | 230 g      |
| Width      | 160 mm | Width (inches) | 6.299 inch |

**Environmental Product Compliance**

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

**Technical data**

|                        |                                               |
|------------------------|-----------------------------------------------|
| Description of article | VDE-insulated combination pliers, 160 mm long |
|------------------------|-----------------------------------------------|

**Pliers**

|                              |        |                               |        |
|------------------------------|--------|-------------------------------|--------|
| Conductor diameter, max. (H) | 1.8 mm | Conductor diameter, max. (MH) | 2.5 mm |
| Cutter hardness              | 60 HRC | Protective insulation, 1000 V | Yes    |
| Total length                 | 160 mm |                               |        |

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000836    | ETIM 7.0    | EC000836    |
| ECLASS 9.0  | 21-04-38-09 | ECLASS 9.1  | 21-04-38-00 |
| ECLASS 10.0 | 21-04-38-09 | ECLASS 11.0 | 21-04-38-09 |

**Approvals**

Approvals

**Downloads**

|                                             |                                                     |
|---------------------------------------------|-----------------------------------------------------|
| Approval/Certificate/Document of Conformity | <a href="#">Manufacturer's Declaration - Pliers</a> |
|---------------------------------------------|-----------------------------------------------------|

## KBZ 160

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

