

LID 1,5M4 R**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Insulated circular plug made from PVC with copper sleeve**

- Commercially available designs
- Not soldered
- With conical entry funnel

General ordering data

Version	cable lug, terminal end, Insulated cable connector, 0.5 mm ² - 1.5 mm ² , red
Order No.	9200670000
Type	LID 1,5M4 R
GTIN (EAN)	4032248410514
Qty.	100 pc(s).

LID 1,5M4 R**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Depth	5.7 mm	Depth (inches)	0.224 inch
Net weight	0.7 g	Width	20.8 mm
Width (inches)	0.819 inch		

Technical data

Description of article	Circular plug with copper sleeve 0.5 - 1.5 mm ²
------------------------	--

Connectors

Conductor cross-section, max.	1.5 mm ²	Conductor cross-section, min.	0.5 mm ²
Dimension	ø 4 mm	Dimension (round plug)	ø 4 mm
Identification colour	red	Insulation	Available
Material/plastic	PVC	Outside diameter (d)	4 mm
Plastic collar diameter (D)	4 mm	Plastic collar length (b)	10 mm

Classifications

ETIM 6.0	EC001059	ETIM 7.0	EC001059
ECLASS 9.0	27-40-02-12	ECLASS 9.1	27-40-02-12
ECLASS 10.0	27-40-02-12	ECLASS 11.0	27-40-02-12

Approvals

ROHS	Conform
------	---------

LID 1,5M4 R

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Drawings

