

## **TEMPHASER**

### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





Multimeters are capable of measuring a number of variables. Each instrument can measure voltage and resistance, as well as performing continuity and diode testing as standard.

In addition, the individual multimeters also feature extra measuring options such as current, frequency, capacitance and temperature. Digital multimeters have the advantage of a clear display which can be read easily and directly. With these instruments, mistakes arising from faulty conversion of the measuring ranges or misreading the display are a thing of the past.

### **General ordering data**

Version	Testing tools, Multimeter	
Order No.	<u>9427300000</u>	
Туре	TEMPHASER	
GTIN (EAN)	4032248407057	
Qty.	1 pc(s).	



## **TEMPHASER**

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

## **Dimensions and weights**

Depth	70 mm	Depth (inches)	2.756 inch
Height	39 mm	Height (inches)	1.535 inch
Net weight	512.1 g	Weight	340 g
Width	147 mm	Width (inches)	5.787 inch

## **Environmental Product Compliance**

REACH SVHC Lead 7439-92-1

#### **Technical data**

Description of article

Measurement device set V, Version
A, O, F, Hz, °C, °F

Infrared thermometer

## Measuring and testing devices

AC voltage measuring range	0.2 - 600 V	Battery type	9V block battery
DC voltage measuring range	0.2 - 600 V	Display	digital
Frequency measurement	Yes	Frequency range, max.	40 kHz
Frequency range, min.	10 Hz	Measured capacitance value, max.	20 mF
Measured capacitance value, min.	20 μF	Measured temperature value, max.	750 °C
Measured temperature value, min.	-20 °C	Measuring range category	CAT III
Resistance measuring range, max.	2,000 ΜΩ	Resistance measuring range, min.	0.2 Ω
Selection of measuring range	Manual	Test probe	Yes
Tested and approved according to	EN/IEC 61010-1	Working temperature, max.	50 °C
Working temperature, min.	0 °C		

## Classifications

ETIM 6.0	EC000069	ETIM 7.0	EC000069
ECLASS 9.0	27-20-03-01	ECLASS 9.1	27-20-03-08
ECLASS 10.0	27-20-03-01	ECLASS 11.0	27-20-03-01

#### **Approvals**

Approvals



ROHS Conform



## **TEMPHASER**

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Drawings**

## **Example of use**

