

## PRODUCT-DETAILS

# 95M12-A-45

## LUG 45DEG 95MM2 M12 CL A 1HL CU GRN



### General Information

|                       |                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 95M12-A-45                                                                                                                |
| Product ID            | 7TAA302030R0002                                                                                                           |
| EAN                   | 5415022197938                                                                                                             |
| Catalog Description   | LUG 45DEG 95MM2 M12 CL A 1HL CU GRN                                                                                       |
| Long Description      | Metric Lug, Copper, Electro-Tin Plating Finish, Class A, Cable Size 95mm Squared, Bolt Size M12, 45 Degree, Green, 1 Hole |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5415022197938 |
|-----|---------------|

### Dimensions

|                    |       |
|--------------------|-------|
| Product Net Length | 0, mm |
|--------------------|-------|

### Container Information

|                         |               |
|-------------------------|---------------|
| Package Level 1 Units   | 10 piece      |
| Package Level 1 Width   | 3 in<br>76 mm |
| Package Level 1 Height  | 3 in<br>76 mm |
| Package Level 1 Depth / | 3.5 in        |

|                                |                    |
|--------------------------------|--------------------|
| Length                         | 89 mm              |
| Package Level 2 Units          | 100 piece          |
| Package Level 2 Width          | 7.5 in<br>191 mm   |
| Package Level 2 Height         | 3.43 in<br>87 mm   |
| Package Level 2 Depth / Length | 16.37 in<br>416 mm |

### Additional Information

|                     |                                         |
|---------------------|-----------------------------------------|
| Brand / Label       | Spec-Kon                                |
| Cable Size          | 95 mm <sup>2</sup>                      |
| Color               | Green                                   |
| Effective Date      | 20131203                                |
| Insulation Material | None                                    |
| Material            | Copper                                  |
| Number of Batteries | 0                                       |
| Product Name        | ELECTRICAL TERMINAL                     |
| Product Type        | Metric Standard Barrel - 45 Degree Bend |
| Stud Size           | M12                                     |
| UPC                 | 786209805355                            |
| Voltage Rating      | 35 kV                                   |

### Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 95M12-A-45      |
| Declaration of Conformity - CE    | 9AKK107492A9834 |
| Instructions and Manuals          | 95M12-A-45      |

### Classifications

|                                    |                                                 |
|------------------------------------|-------------------------------------------------|
| ETIM 6                             | EC001051 - Tube cable lug for copper conductors |
| ETIM 7                             | EC001051 - Tube cable lug for copper conductors |
| UNSPSC                             | 39121405                                        |
| WEEE Category                      | Product Not in WEEE Scope                       |
| IDEA Granular Category Code (IGCC) | 4532 >> Cable or wire lug                       |

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

