

Certificate of Compliance

Certificate:

209183 (112543)

Project:

1249418

Date Issued: 2001/10/03

Issued to:

Karl Dungs, Incorporated 524 Apollo Drive, Suite 10

Lino Lakes, MN 55014 U.S.A.

Attention:

Kevin Carlisle

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US'



Issued by:

Jennifer Cale

Authorized by: George Gruss

Operations Manager

PRODUCTS

3371-08

GENERAL USE GAS VALVES

End Model Number **Fittings**

For Use With Natural, Manufactured, Mixed, Liquefied Petroleum or Propane Gas and LP Gas-Air Mixtures Straight

KH 0(1,2)/6	1/4
KH 0(1,2)/6	3/8
KH 0(1,2)/6	1/2
KH 0(1,2)/6	3/4
KH 0(1,2)/6	1
KH 0(1,2)/6	1 1/4
KH 0(1,2)/6	$1\frac{1}{2}$
KH 0(1,2)/6	2

The 'C' and 'US' indicators adjacent to the CSA Mark signify that the product has been evaluated to the applicable CSA and ANSI/UL Standards, for use in Canada and the U.S., respectively. This 'US' indicator includes products eligible to bear the 'NRTL' indicator. NRTL, i.e. National Recognized Testing Laboratory, is a designation granted by the U.S. Occupational Safety and Health Administration (OSHA) to laboratories which have been recognised to perform certification to U.S. Standards.



Certificate: 209183

Project: 1249418 **Date:** 2001/10/03

3371-88

GENERAL USE GAS VALVES

End

Model Number Fittings Size

For Use With Natural, Manufactured, Mixed, Liquefied Petroleum or Propane Gases and LP Gas Air Mixtures Straight

2002 9 VI 12 VI	17
KH 0(1,2)/6	1/4
KH 0(1,2)/6	3/8
KH 0(1,2)/6	1/2
KH 0(1,2)/6	3/4
KH 0(1,2)/6	1
KH 0(1,2)/6	1 1/4
KH 0(1,2)/6	1 ½
KH 0(1,2)/6	2

3371-92 MANUALLY OPERATED VALVES FOR USE IN HOUSE PIPING SYSTEMS

Model Number	Rated Pressure	Size	
Widder Number	Flessure	Size	
Gas Valves			
KH 0(1,2)/6	5	1/4	
KH 0(1,2)/6	5	3/8	
KH 0(1,2)/6	5	1/2	
KH 0(1,2)/6	5	3/4	
KH 0(1,2)/6	5	1	
KH 0(1,2)/6	5	1 1/4	
KH 0(1,2)/6	5	1 ½	
KH 0(1,2)/6	5	2	

3371-94 MANUALLY OPERATED METALLIC VALVES FOR USE IN PIPING SYSTEMS

Rated	
Model Number Pressure Size	
Car Valence	
Gas Valves	
KH 0(1,2)/6 125 1/4	
KH 0(1,2)/6 125 3/8	
KH 0(1,2)/6 125	
KH 0(1,2)/6 125 3/4	
KH 0(1,2)/6 125	
KH 0(1,2)/6 125 1 1/4	

DQD 507WD 2000/11/30



Certificate: 209183

Date: 2001/10/03 Project: 1249418

1 1/2 KH 0(1,2)/6125 2 KH 0(1,2)/6 125

LEVER OPERATED NON-LUBRICATED SHUTOFF 3371-10

End Fittings Size Model Number For Use With Natural and Propane Gas Straight, Threaded Connection 1/4 KH 0(1,2)/63/8 $KH \ 0(1,2)/6$ 1/2 KH 0(1,2)/63/4 $KH \ 0(1,2)/6$ KH 0(1,2)/61 1 1/4 KH 0(1,2)/61 1/2 $KH \ 0(1,2)/6$ 2

APPLICABLE REQUIREMENTS

ANSI Z21.15-1997 · CGA 9.1-M97 Manually Operated Gas Valves For Appliances, Appliance Connector Valves and Hose End Valves

CSA International Requirement 3-88 U.S. for Manually Operated Gas Valves For Use In House Piping Systems

Manually Operated Gas Valves For Use On Piping Installed Indoors CGA Requirement CR91-002

Manually Operated Metallic Gas Valves For Use In Gas Piping Systems Up ANSI/ASME B16.33

to 125 psig

 $KH \ 0(1,2)/6$

Lever Operated Non-Lubricated Gas Shut-Off Valves CAN/CGA 3.16-M88

MARKINGS

All markings and printed instructions are in compliance with the above mentioned requirements. Samples are contained in the main certification report.



Supplement to Certificate of Compliance

Certificate:

209183 (112543)

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
1249418	2001/10/03	Correction to Model Nos. made per letter from K. Dungs dated 2001/09/18.
1242999	2001/9/14	Model numbers changed to K. Dungs, Incorporated for Ball Valve Certificate. Report No. 189309-209183M dated 2001/6/11. Per letter from K. Dungs, Inc.
1213217	2001/6/11	Original Certification. Model comparison for IMT Armaturen AG. Report No. 189309-1063572.

IMT Armaturen AG	Karl Dungs, Incorporated
Fig 592	KH 0(1,2)/6
Fig 592, 59303	KH 0(1,2)/6