# SM956AC92553

Hyde Park, Ultrasonic sensor, analog, current (mA), 30 mm barrel, 15 24 V DC



#### Main

Range of product	Hyde Park
Sensor type	Ultrasonic sensor
Series name	Superprox 900
Device short name	SM956
Sensor design	Cylindrical M30
Type of sensing window	Adjustable
Material	Plastic
Enclosure material	ULTEM
Front material	Glass epoxy
Type of output signal	Analogue
ISO thread	M30 x 1.5
Wiring technique	4-wire
[Us] rated supply voltage	1524 V DC with overload and short-circuit protection
Supply voltage limits	1328 V DC
Analogue output range	420 mA autoslope
Electrical connection	Male connector M12 4 pins
Product specific application	Analog output

#### Complementary

[Sn] nominal sensing distance	4 m	
[Sd] sensing range	0.34 m	
Maximum differential travel	2.5 mm	
Blind zone	203 mm	
Transmission frequency	75 kHz	
Minimum size of detected object	Cylinder diameter 1.6 mm - up to 305 mm sensing distance	
Current consumption	80 mA	
Maximum switching current	60 mA with reverse polarity protection	
Height	30 mm	
Width	43.18 mm	
Depth	30 mm	
Length	117.3 mm	
Net weight	0.9 kg	

### **Environment**

UL	
CE	
NEMA 4X (indoor use only)	
IP67	
-2060 °C	
-2080 °C	
100 % without condensation	
+/-1 mm conforming to IEC 60068-2-6 (f = 1055 Hz)	
30 gn in all 3 axes for 11 ms conforming to IEC 60068-2-27	
10 V/m level 3 conforming to IEC 61000-4-3	
1 kV level 3 conforming to IEC 61000-4-4	
	CE  NEMA 4X (indoor use only)  IP67  -2060 °C  -2080 °C  100 % without condensation  +/-1 mm conforming to IEC 60068-2-6 (f = 1055 Hz)  30 gn in all 3 axes for 11 ms conforming to IEC 60068-2-27  10 V/m level 3 conforming to IEC 61000-4-3

## Packing Units

PCE	
1	
4.572 cm	
9.906 cm	
13.462 cm	
36.287 g	
	1 4.572 cm 9.906 cm 13.462 cm

## Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
For all Reach Rohs enquiries contact us at	sustainability@tesensors.com

#### Contractual warranty

Warranty	18 months

