

ZCKD219TG

Limit switch head, Limit switches XC Standard, ZCKD, thermoplastic roller lever plunger with protective boot



Main

| | |
|----------------------------|---|
| Range of product | Telemecanique Limit switches XC Standard |
| Series name | Standard format |
| Product or component type | Limit switch head |
| Device short name | ZCKD |
| Head type | Plunger head |
| Product compatibility | XCKL XCKM |
| Associated body | ZCKMD31H29 ZCKL1 ZCKL5 ZCKMD31H7 ZCKM9 ZCKMD31 ZCKM6 ZCKL1H7 ZCKMD39H29 ZCKLD31 ZCKM7 ZCKMD35H29 ZCKM1H7 ZCKM5H29 ZCKLD31H7 ZCKL7 ZCKL8 ZCKL8H7 ZCKM7H29 ZCKM6H7 ZCKM7H7 ZCKLD37 ZCKLD35 ZCKM1 ZCKL6 ZCKM8 ZCKL7H7 ZCKM9H29 ZCKMD37H29 ZCKM8H7 ZCKL5H7 ZCKLD37H7 ZCKM6H29 ZCKMD37H7 ZCKMD35 ZCKMD37 ZCKM8H29 ZCKMD35H7 ZCKL6H7 ZCKLD39H7 ZCKMD39 ZCKM5H7 ZCKMD39H7 ZCKLD39 ZCKM5 ZCKM1H29 ZCKLD35H7 |
| Movement of operating head | Linear Rotary |
| Type of operator | Roller lever plunger spring return thermoplastic (with protective boot) |
| Type of approach | Lateral approach, 1 direction |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither TWSS Holding nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Complementary

| | |
|------------------|------------|
| Switch actuation | By 30° cam |
| Positive opening | With |
| Head material | Plastic |

Environment

| | |
|---------------------------------------|-----------------------|
| Ambient air temperature for operation | -40...70 °C |
| Ambient air temperature for storage | -40...70 °C |
| Environmental characteristic | Temperature variation |

Packing Units

| | |
|------------------------------|--------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 7.4 cm |
| Package 1 Width | 6.1 cm |
| Package 1 Length | 3.2 cm |
| Package 1 Weight | 35.0 g |

Offer Sustainability

| | |
|--|---|
| Sustainable offer status | Green Premium product |
| Circularity Profile | No need of specific recycling operations |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| For all Reach Rohs enquiries contact us at | sustainability@tesensors.com |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|