3BSC950193R1 1/3



PRODUCT-DETAILS

3BSC950193R1

TB850 CEX-Bus Terminator



General Information	
Product ID	3BSC950193R1
ABB Type Designation	TB850
Catalog Description	TB850 CEX-Bus Terminator
Long Description	With 25-pin DB25P male connector. With screw fixing. A TB850 CEX-Bus terminator must always be installed on the last unit on the CEX bus.

Additional Information		
Medium Description	With 25-pin DB25P male connector. With screw fixing. A TB850 CEX-Bus terminator must always be installed on the last unit on the CEX bus.	
Product Type	Prefabricated_Cable	

Ordering

HS Code

853690 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES; Electrical apparatus for switching or protecting electrical circuits, or for making connections to or in electrical

3BSC950193R1 2/3

circuits (for example, switches, relays, fuses, surge suppressors, plugs, sockets, lamp holders and other connectors, junction boxes), for a voltage not exceeding 1|000|V; connectors for optical fibres, optical fibre bundles or cables;Other apparatus

Customs Tariff Number	85369095
-----------------------	----------

Dimensions	
Product Net Depth / Length	55 mm
Product Net Height	16 mm
Product Net Width	50 mm
Product Net Weight	0.04 kg
Cable Length	0 m

Environmental	
RoHS Information	No declaration needed
WEEE Category	Product Not in WEEE Scope

Categories

```
Control System Products → Control & Communication → AC 800M → AC 800M - Accessories → TB850 CEX-Bus Terminator
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 4.0 \rightarrow Prefabricated Cables
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 4.1 \rightarrow Prefabricated Cables
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.0 \rightarrow Prefabricated Cables
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.1 \rightarrow Prefabricated Cables
Control Systems \rightarrow 800xA \rightarrow System \rightarrow 800xA System \rightarrow 800xA 6.0 System \rightarrow Prefabricated Cables
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 4.1 \rightarrow Prefabricated Cables
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 5.0 \rightarrow Prefabricated Cables
{\sf Control \, Systems \rightarrow Compact \, Product \, Suite \rightarrow Controllers \rightarrow AC \, 800M \rightarrow AC \, 800M \, 5.1 \rightarrow Prefabricated \, Cables}
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 6.0 \rightarrow Prefabricated Cables
Control Systems 
ightarrow 800xA 
ightarrow Controllers 
ightarrow AC 800M Hardware 
ightarrow AC 800M Hardware 4.1 
ightarrow Prefabricated Cables
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.0 \rightarrow Prefabricated Cables
Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.1 \rightarrow Prefabricated Cables
{\sf Control \, Systems \rightarrow Compact \, Product \, Suite \rightarrow Controllers \rightarrow AC \, 800M \rightarrow AC \, 800M \, 4.1 \rightarrow Prefabricated \, Cables}
Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 5.0 \rightarrow Prefabricated Cables
{\sf Control \, Systems \rightarrow Compact \, Product \, Suite \rightarrow Controllers \rightarrow AC \, 800M \rightarrow AC \, 800M \, 5.1 \rightarrow Prefabricated \, Cables}
```

3BSC950193R1 3/3

