

PRODUCT-DETAILS

ALS13

AL COMP LUG 1HOLE 250 4-5/8



General Information

Extended Product Type	ALS13
Product ID	7TAA268440R0016
EAN	0783786050789
Catalog Description	AL COMP LUG 1HOLE 250 4-5/8
Long Description	Aluminum One-Hole Lug - Straight Long Barrel, Wire Range 3/0, 4/0 ASCR, 3/0, 4/0, 250 Stranded, 250 - 300 kcmil, 1/2 Inch Bolt Size, Blind-End, Hydraulic Dies: B80EA, EEI 13A, 655, 1 1/8, 321, 96H, CSA 26. For Aluminum and Copper Conductors

Ordering

EAN	0783786050789
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	7.2 in 183 mm
Package Level 1 Height	6.3 in 160 mm

Package Level 1 Depth / Length	8.3 in 211 mm
Package Level 2 Units	100 piece
Package Level 2 Width	13.8 in 351 mm
Package Level 2 Height	7.7 in 196 mm
Package Level 2 Depth / Length	17.1 in 434 mm

Additional Information

Application	For Aluminum and Copper Conductor.
Brand / Label	Blackburn
Cable Size	3/0 to 4/0 ASCR AWG 3/0 to 4/0 STR AWG
Connection Type	Compression
Effective Date	19990923
Material	Aluminum
Mounting Type	NEMA Standard Mounting Holes
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Compression Connector
Special Functions	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.
UPC	783786050789

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ALS13
Instructions and Manuals	ALS13

Classifications

UNSPSC	39121405
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4532 >> Cable or wire lug

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Distribution Connectors

