

PRODUCT-DETAILS

ALS16

AL COMP LUG 2HOLE 250-300 6IN



General Information

Extended Product Type	ALS16
Product ID	7TAA268500R0036
EAN	0783786050819
Catalog Description	AL COMP LUG 2HOLE 250-300 6IN
Long Description	Aluminum Two-Hole Lug - Straight Long Barrel, Wire Range 266 26/7, 6/7, 18/1 ASCR, 250-300 Stranded, 350 Compact, 1/2 Inch Bolt Size, Blind-End, Hydraulic Dies: B80EA, EEI 13A, 655, 1 1/8, 321, 96H, CSA 26. For Aluminum and Copper Conductors

Ordering

EAN	0783786050819
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	6.7 in 170 mm
Package Level 1 Height	7.4 in 188 mm

Package Level 1 Depth / Length	8.3 in 211 mm
Package Level 2 Units	100 piece
Package Level 2 Width	13.8 in 351 mm
Package Level 2 Height	7.7 in 196 mm
Package Level 2 Depth / Length	17.1 in 434 mm

Additional Information

Application	For Aluminum and Copper Conductor.
Brand / Label	Blackburn
Cable Size	266 (26/7) ACSR kcmil 266(6/7) ACSR kcmil
Connection Type	Compression
Effective Date	19991027
Material	Aluminum
Mounting Type	NEMA Standard Mounting Holes
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Compression Connector
Special Functions	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.
UPC	783786050819

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ALS16
Instructions and Manuals	ALS16

Classifications

UNSPSC	39121405
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4532 >> Cable or wire lug

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Distribution Connectors

