

PRODUCT-DETAILS

# CPS15G-50-CV0

## GREY SLEEVING CONF. V0, 50M



### General Information

|                       |                                                                                                                                                                                                                                                                       |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | CPS15G-50-CV0                                                                                                                                                                                                                                                         |
| Product ID            | 7TCG054800R0029                                                                                                                                                                                                                                                       |
| EAN                   | 5414363406907                                                                                                                                                                                                                                                         |
| Catalog Description   | GREY SLEEVING CONF. V0, 50M                                                                                                                                                                                                                                           |
| Long Description      | Flame Retardant Braided Sleeve, Gray Polyester for Temperatures -50 Degrees Celsius (-58 F) up to 150 Celsius (302 F), Nominal Diameter 15mm (0.590 Inches), Expandable Diameter Range 13mm (0.512 Inches) to 20mm (0.787 Inches), Mini-Reel Length 50m (164.04 Feet) |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5414363406907 |
|-----|---------------|

### Dimensions

|                            |                     |
|----------------------------|---------------------|
| Product Net Depth / Length | 164.04 ft<br>50 m   |
| Product Net Weight         | 1.38 lb<br>625.85 g |

### Container Information

|                       |         |
|-----------------------|---------|
| Package Level 1 Units | 1 reel  |
| Package Level 1 Width | 7.08 in |

|                                |          |
|--------------------------------|----------|
|                                | 180 mm   |
| Package Level 1 Height         | 4.33 in  |
|                                | 110 mm   |
| Package Level 1 Depth / Length | 7.08 in  |
|                                | 180 mm   |
| Package Level 2 Units          | 5 reel   |
| Package Level 2 Width          | 14.76 in |
|                                | 375 mm   |
| Package Level 2 Height         | 13.58 in |
|                                | 345 mm   |
| Package Level 2 Depth / Length | 29.53 in |
|                                | 750 mm   |

## Additional Information

|                     |                        |
|---------------------|------------------------|
| Brand / Label       | Catamount              |
| Bundle Diameter     | 0.04 to 2.6 in         |
|                     | 1 to 66 mm             |
| Color               | Gray                   |
| Material            | Polyester              |
| Number of Batteries | 0                      |
| Product Name        | OTHER BRAIDED SLEEVING |
| Product Type        | Braided Sleeve         |
| Temperature Range   | -58 to 302 °F          |
|                     | -50 to 150 °C          |
| UPC                 | 786209889324           |

## Certificates and Declarations (Document Number)

|                                   |               |
|-----------------------------------|---------------|
| Data Sheet, Technical Information | CPS15G-50-CV0 |
| Instructions and Manuals          | CPS15G-50-CV0 |

## Classifications

|                                    |                                                   |
|------------------------------------|---------------------------------------------------|
| ETIM 6                             | EC001937 - Cable protection for installation duct |
| ETIM 7                             | EC001937 - Cable protection for installation duct |
| UNSPSC                             | 39131602                                          |
| WEEE Category                      | Product Not in WEEE Scope                         |
| IDEA Granular Category Code (IGCC) | 5392 >> Expandable braided sleeving               |

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

