

PRODUCT-DETAILS

CPS20G-25

BRAIDED SLEEVE GRY PLYE 20 DIA 25M



Ogólne informacje

Extended Product Type	CPS20G-25
ID Produktu	7TCG054800R0038
Numer EAN	5414363103349
Opis katalogowy	BRAIDED SLEEVE GRY PLYE 20 DIA 25M
Opis	Non-Flame Retardant Braided Sleeve, Gray Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 20mm (0.787 Inches), Expandable Diameter Range 14mm (0.551 Inches) to 26mm (1.02 Inches), Mini-Reel Length 25m (82.02 Feet)

Charakterystyka zamówienia

Numer EAN	5414363103349
-----------	---------------

Wymiary

Głębokość produktu netto	82.02 ft 25 m
Waga produktu netto	.75 lb 340.136 g

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 reel
Jednostka opakowania (poziom 2)	5 reel

Dodatkowe informacje

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Kolor	Gray
Material	Polyester
Number of Batteries	0
Nazwa produktu	OTHER ARTICLES OF YARN
Rodzaj produktu	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C
UPC	786210529998

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	CPS20G-25
Instrukcje i podręczniki	CPS20G-25

Klasyfikacje

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Kategorie

Produkty niskiego napięcia i systemy → Produkty instalacyjne → Wire Management and Connectivity → Cable Ties

