

PRODUCT-DETAILS

CPS29W-15-FR-EU

BIND-IT FLAME RET DIA 29, 15M



General Information

Extended Product Type	CPS29W-15-FR-EU
Product ID	7TCG054800R0052
EAN	5414363609773
Catalog Description	BIND-IT FLAME RET DIA 29, 15M
Long Description	Wrap-Around Flame-Retardant Woven Cable Sleeve, Black Polyester for Temperatures from -50 Degrees Celsius (-58 F) up to 125 Degree Celsius (257 F), Nominal Diameter Size 29mm (1.14 Inches), Mini-Reel Length 15m (49.21 Feet)

Ordering

EAN	5414363609773
-----	---------------

Dimensions

Product Net Depth / Length	49.21 ft 15 m
Product Net Weight	3.119 lb 1.415 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	14.57 in 370 mm

Package Level 1 Height	0.63 in 16 mm
Package Level 1 Depth / Length	14.57 in 370 mm
Package Level 2 Units	2 piece
Package Level 2 Width	14.96 in 380 mm
Package Level 2 Height	14.96 in 380 mm
Package Level 2 Depth / Length	14.96 in 380 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Material	Polyester
Number of Batteries	0
Product Name	PLASTIC CONDUIT
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C
UPC	786209939234

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CPS29W-15-FR-EU
Instructions and Manuals	CPS29W-15-FR-EU

Classifications

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

