


PRODUCT-DETAILS

IS2-EN0101K

THERMOST-10+80 AL.110/250V A.C.NO 7035



General Information

Extended Product Type	IS2-EN0101K
Product ID	EN0101K
EAN	8015646747242
Catalog Description	THERMOST-10+80 AL.110/250V A.C.NO 7035
Long Description	Ventilation thermostat NO

Ordering

EAN	8015646747242
Minimum Order Quantity	1 piece
Customs Tariff Number	90321080

Dimensions

Product Net Width	47 mm
Product Net Height	32 mm
Product Net Depth / Length	0.047 mm
Product Net Weight	0.070 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.047 m
Package Level 1 Height	0.032 m
Package Level 1 Depth / Length	0.070 m
Package Level 1 Gross Weight	0.080 kg
Package Level 1 EAN	8015646747242

Environmental

Ambient Air Temperature	Operation -10 ... +80 °C Storage -40 ... +90 °C
-------------------------	--

Additional Information

Accessory Type	IP20 Thermostat
Material	ABS/PC Alloy
Nominal AC Voltage of the System (U _o)	110 V 250 V
Product Main Type	SR2 Enclosures
Product Name	Control and Automation Board
Product Type	5B5B30B380
Rated Operational Current (I _e)	10 A
Remarks	ETIM
RoHS Date	20140108
Standards	See code for structure
Sub-Function 3	Thermostat NO
Suitable For	IS2 Enclosures for Automation SR2 Enclosures AM2 Cabinets
Suitable for Product Class	SR2

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1STC804013D0209
Declaration of Conformity - CE	1STC860113
Environmental Information	1STC804013D0209
Instructions and Manuals	1STM604121R0006
RoHS Information	1STC860065

Classifications

ETIM 4	EC002014 - Thermostat (switchgear cabinet)
ETIM 5	EC002014 - Thermostat (switchgear cabinet)

ETIM 6	EC002014 - Thermostat (switchgear cabinet)
ETIM 7	EC002014 - Thermostat (switchgear cabinet)
Object Classification Code	U
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining)

