

## PRODUCT-DETAILS

# EXBQM0304

## M20 -16MM EX E BRAIDED FITTING



Product image  
not available

### Ogólne informacje

|                       |                                                                                                                                                                                              |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | EXBQM0304                                                                                                                                                                                    |
| ID Produktu           | 7TCA297120R0477                                                                                                                                                                              |
| Numer EAN             | 5011949243002                                                                                                                                                                                |
| Opis katalogowy       | M20 -16MM EX E BRAIDED FITTING                                                                                                                                                               |
| Opis                  | Conduit Fitting, Fixed Straight with External Male Thread, Conduit Size 16mm, M20 Thread, Suitable for Braided Nylon Conduit, Zone 1 and 2, Zone 21 and 22, IP66 Rating, Nickel Plated Brass |

### Dodatkowe informacje

|                 |                                                                             |
|-----------------|-----------------------------------------------------------------------------|
| Zastosowanie    | For Insertion Into Threaded Entries and Knockouts Using a Locknut to Secure |
| Rodzaj produktu | Fixed, Straight Conduit Fitting                                             |

### Charakterystyka zamówienia

|                   |               |
|-------------------|---------------|
| Numer EAN         | 5011949243002 |
| UPC               | 786210316345  |
| Kod taryfy celnej | 7412200090    |

---

## Dane techniczne

---

|                     |                                |
|---------------------|--------------------------------|
| Number of Batteries | 0                              |
| Kolor               | Metallic                       |
| Materiał            | Brass                          |
| Rozmiar             | Conduit Size 16mm ; M20 Thread |

---

---

## Normy środowiskowe

---

|               |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

---

---

## Informacje o pakowaniu

---

|                                    |                 |
|------------------------------------|-----------------|
| Jednostka opakowania<br>(poziom 1) | 2 sztuka        |
| Wysokość opakowania<br>(poziom 1)  | 1 in<br>25 mm   |
| Długość opakowania<br>(poziom 1)   | 14 in<br>356 mm |
| Szerokość opakowania<br>(poziom 1) | 4 in<br>102 mm  |

---

---

## Certyfikaty i deklaracje (Numer dokumentu)

---

|                                          |                 |
|------------------------------------------|-----------------|
| Arkusze danych, informacja<br>techniczna | EXBQM0304       |
| Instrukcje i podręczniki                 | EXBQM0304       |
| Deklaracja zgodności - CE                | 9AKK107492A9617 |

---

---

## Klasyfikacje

---

|        |          |
|--------|----------|
| UNSPSC | 39121311 |
|--------|----------|

---

---

## Kategorie

---

Produkty niskiego napięcia i systemy → Produkty instalacyjne → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available