

PRODUCT-DETAILS

EXLLH0610

HIGH TEMP FLEXIBLE CONDUIT 3 10M



General Information

Extended Product Type	EXLLH0610
Product ID	7TCA297120R0125
EAN	5011949001893
Catalog Description	HIGH TEMP FLEXIBLE CONDUIT 3 10M
Long Description	Liquid Tight Metallic Conduit, High Temperature Applications, Conduit Size 32mm, Minimum Bore 26.4mm, Reel Length 10 Meters, Galvanised Steel Core with Chemical Resistant Coating, Blue

Additional Information

Application	Connection for Conduit Systems with High Temperature Applications
Product Type	Liquid Tight Metallic Conduit

Ordering

EAN	5011949001893
UPC	786210287614
Customs Tariff Number	8307106000

Dimensions

Product Net Depth / Length	10 m
----------------------------	------

Technical	
Number of Batteries	0
Color	Blue
Material	Galvanized Steel Core with Chemical Resistant Coating

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	24 in 610 mm
Package Level 1 Depth / Length	24 in 610 mm
Package Level 1 Width	6 in 152 mm
Package Level 2 Units	1 piece
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	11 in 279 mm
Package Level 2 Width	17 in 432 mm

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	EXLLH0610
Instructions and Manuals	EXLLH0610
Declaration of Conformity - CE	9AKK107492A9617

Classifications	
UNSPSC	39131706

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

