

PRODUCT-DETAILS

WELT/A,ES

WELT/A,ES SafeKey Chipreader with Keypad, stainless steel, Surface Mounted



Ogólne informacje

Extended Product Type	WELT/A,ES
ID Produktu	GHQ3050024R0001
Numer EAN	4016779585712
Opis katalogowy	WELT/A,ES SafeKey Chipreader with Keypad, stainless steel, Surface Mounted
Opis	For setting/unsetting with the Evaluation Module L240/BS. The unit is actuated by inserting the electronic SafeKey chipkey. The SafeKey Wall Reader WELT is equipped with the key reader, a keypad and an acknowledgement buzzer.

Charakterystyka zamówienia

Numer EAN	4016779585712
Kod taryfy celnej	85311030
Minimalna ilość zamówienia	1 sztuka
E-Number (Switzerland)	961820313

Wymiary

Głębokość produktu netto	30 mm
Wysokość produktu netto	175 mm
Szerokość produktu netto	58 mm

Waga produktu netto	0.402 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	box 1 sztuka
EAN opakowania (poziom 1)	4016779585712
Długość opakowania (poziom 1)	150 mm
Wysokość opakowania (poziom 1)	120 mm
Szerokość opakowania (poziom 1)	40 mm
Waga opakowania brutto (poziom 1)	0.45 kg

Dane techniczne

Compatible Bus Systems	S-Bus/XIB
Rodzaj montażu	Surface Mounted

Certyfikaty i deklaracje (Numer dokumentu)

Arkusz danych, informacja techniczna	2CDC541129D0102
Instrukcje i podręczniki	2CDC541134D0102
Deklaracja zgodności - CE	9AKK107046A4022
Dane RoHS	9AKK107046A4022

Normy środowiskowe

Status RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Klasyfikacje

ETIM 5	EC000782 - Access control unit for bus system
ETIM 6	EC000782 - Access control unit for bus system
ETIM 7	EC000782 - Access control unit for bus system
eClass	V7.0 : 27143141
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → Intrusion Alarm Systems → Conventional → Arming System

