

PRODUCT-DETAILS

AM/S12.1

AM/S12.1 Battery Module, 12 V DC, MDRC



General Information

Extended Product Type	AM/S12.1
Product ID	GHQ6310062R0111
EAN	4016779514811
Catalog Description	AM/S12.1 Battery Module, 12 V DC, MDRC
Long Description	Sealed lead acid battery module for maintaining the ABB i-bus® system voltage in case of a mains failure in connection with the Uninterruptible EIB Power Supply SU/S 30.640.1. Connection is made via standard cables. Minimum backup time: 10 min.

Ordering

EAN	4016779514811
Customs Tariff Number	85072080
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405890015
E-Number (Finland)	2815108
E-Number (Sweden)	1750035

Dimensions

Product Net Depth / Length	64.5 mm
Product Net Height	90 mm
Product Net Width	144 mm
Product Net Weight	0.761 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779514811
Package Level 1 Depth / Length	149 mm
Package Level 1 Height	65 mm
Package Level 1 Width	92 mm
Package Level 1 Gross Weight	0.81 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-rail

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC501004D0201 2CDC501017D0201
Instructions and Manuals	GHQ6307067P0002
Declaration of Conformity - CE	2CDK501073D2701
RoHS Information	2CDK501073D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 5	EC000357 - Rechargeable battery
ETIM 6	EC000357 - Rechargeable battery
ETIM 7	EC000357 - Rechargeable battery
eClass	V11.0 : 27050403
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
IDEA Granular Category Code (IGCC)	4127 >> Power supply units

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Power Supply → Battery Modules and Accessories

