

PRODUCT-DETAILS

AM/S12.1

AM/S12.1 Battery Module, 12 V DC, MDRC



Ogólne informacje

Extended Product Type	AM/S12.1
ID Produktu	GHQ6310062R0111
Numer EAN	4016779514811
Opis katalogowy	AM/S12.1 Battery Module, 12 V DC, MDRC
Opis	Sealed lead acid battery module for maintaining the ABB i-bus® system voltage in case of a mains failure in connection with the Uninterruptible EIB Power Supply SU/S 30.640.1. Connection is made via standard cables. Minimum backup time: 10 min.

Charakterystyka zamówienia

Numer EAN	4016779514811
Kod taryfy celnej	85072080
Minimalna ilość zamówienia	1 sztuka
E-Number (Switzerland)	405890015
E-Number (Finland)	2815108
E-Number (Sweden)	1750035

Wymiary

Głębokość produktu netto	64.5 mm
--------------------------	---------

Wysokość produktu netto	90 mm
Szerokość produktu netto	144 mm
Waga produktu netto	0.761 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	box 1 sztuka
EAN opakowania (poziom 1)	4016779514811
Długość opakowania (poziom 1)	149 mm
Wysokość opakowania (poziom 1)	65 mm
Szerokość opakowania (poziom 1)	92 mm
Waga opakowania brutto (poziom 1)	0.81 kg

Dane techniczne

Compatible Bus Systems	KNX (TP)
Stopień ochrony obudowy	IP20
Rodzaj montażu	DIN-rail

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	2CDC501004D0201 2CDC501017D0201
Instrukcje i podręczniki	GHQ6307067P0002
Deklaracja zgodności - CE	2CDK501073D2701
Dane RoHS	2CDK501073D2701

Normy środowiskowe

Status RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Klasyfikacje

ETIM 5	EC000357 - Rechargeable battery
ETIM 6	EC000357 - Rechargeable battery
ETIM 7	EC000357 - Rechargeable battery
eClass	V11.0 : 27050403
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
IDEA Granular Category Code (IGCC)	4127 >> Power supply units

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Power Supply → Battery Modules and Accessories

