

PRODUCT-DETAILS

# **VSUE**

# **VSUE Window Lock Monitoring Contact**



General Information	
Extended Product Type	VSUE
Product ID	GHV9210018V0022
EAN	4013232701207
Catalog Description	VSUE Window Lock Monitoring Contact
Long Description	Lock monitoring is carried out with a special magnet and a reed contact. The magnet is mounted on the push rod of the window sash while the reed contact is mounted on the frame. The connection cable LIYY $4\times0.14$ mm $^2$ is $4$ m in length. VdS No. G 190074. VdS class C.

Ordering	
EAN	4013232701207
Customs Tariff Number	85365011
Minimum Order Quantity	1 piece
E-Number (Switzerland)	961822203

Dimensions	
Product Net Depth / Length	30 mm
Product Net Height	6 mm
Product Net Width	6 mm
Product Net Weight	0.07 kg

Container Information	
Package Level 1 Units	bag 1 piece
Package Level 1 EAN	4013232701207
Package Level 1 Depth / Length	100 mm
Package Level 1 Height	70 mm
Package Level 1 Width	20 mm
Package Level 1 Gross Weight	0.09 kg

_		•	
T-0	ch	<b>n</b> 1/	
16		nic	.aı

Mounting Type	Built-in Installation
	Built-on

## **Certificates and Declarations (Document Number)**

Data Sheet, Technical Information	2CDC541068D0201 9AKK2017-108999
Instructions and Manuals	2CDG941133P0001
Declaration of Conformity - CE	2CDK540211D2701
RoHS Information	2CDK540211D2701

#### **Environmental**

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

#### Classifications

ETIM 5	EC001759 - Detector for bolt switching contact
ETIM 6	EC001759 - Detector for bolt switching contact
ETIM 7	EC001759 - Detector for bolt switching contact
eClass	V7.0:27143230
WEEE Category	Product Not in WEEE Scope

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Home\ and\ Building\ Automation \rightarrow Intrusion\ Alarm\ Systems \rightarrow Conventional$ 

VSUE 3

