

PRODUCT-DETAILS

VSUE

VSUE Window Lock Monitoring Contact



Ogólne informacje

Extended Product Type	VSUE
ID Produktu	GHV9210018V0022
Numer EAN	4013232701207
Opis katalogowy	VSUE Window Lock Monitoring Contact
Opis	Lock monitoring is carried out with a special magnet and a reed contact. The magnet is mounted on the push rod of the window sash while the reed contact is mounted on the frame. The connection cable LIYY 4 x 0.14 mm ² is 4 m in length. VdS No. G 190074. VdS class C.

Charakterystyka zamówienia

Numer EAN	4013232701207
Kod taryfy celnej	85365011
Minimalna ilość zamówienia	1 sztuka
E-Number (Switzerland)	961822203

Wymiary

Głębokość produktu netto	30 mm
Wysokość produktu netto	6 mm

Szerokość produktu netto	6 mm
Waga produktu netto	0.07 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	bag 1 sztuka
EAN opakowania (poziom 1)	4013232701207
Długość opakowania (poziom 1)	100 mm
Wysokość opakowania (poziom 1)	70 mm
Szerokość opakowania (poziom 1)	20 mm
Waga opakowania brutto (poziom 1)	0.09 kg

Dane techniczne

Rodzaj montażu	Built-in Installation Built-on
----------------	-----------------------------------

Certyfikaty i deklaracje (Numer dokumentu)

Arkusz danych, informacja techniczna	2CDC541068D0201 9AKK2017-108999
Instrukcje i podręczniki	2CDG941133P0001
Deklaracja zgodności - CE	2CDK540211D2701
Dane RoHS	2CDK540211D2701

Normy środowiskowe

Status RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Klasyfikacje

ETIM 5	EC001759 - Detector for bolt switching contact
ETIM 6	EC001759 - Detector for bolt switching contact
ETIM 7	EC001759 - Detector for bolt switching contact
eClass	V7.0 : 27143230
WEEE Category	Product Not in WEEE Scope

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → Intrusion Alarm Systems → Conventional

