

PRODUCT-DETAILS

## **SAK17**

## SAK17 Sealed Lead Acid Battery, 12 V DC, 18 Ah



General Information	
Extended Product Type	SAK17
Product ID	GHV9240001V0013
EAN	4013232744952
Catalog Description	SAK17 Sealed Lead Acid Battery, 12 V DC, 18 Ah
Long Description	12 V DC, 18 Ah Sealed lead acid battery for power backup in connection with a uninterruptible power supply or security system

Ordering	
EAN	4013232744952
Customs Tariff Number	85072080
Minimum Order Quantity	1 piece
E-Number (Switzerland)	961892103
E-Number (Finland)	2815289
E-Number (Sweden)	1750040

Dimensions	
Product Net Depth / Length	76 mm
Product Net Height	167 mm
Product Net Width	181 mm
Product Net Weight	6.487 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 EAN	4013232744952
Package Level 1 Depth / Length	180 mm
Package Level 1 Height	165 mm
Package Level 1 Width	74 mm
Package Level 1 Gross Weight	7.15 kg

Technical	
Mounting Type	Accessory

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	2CDC501022D0201 9AKK2017-108200
Instructions and Manuals	2CDC501022D0201
Declaration of Conformity - CE	No declaration needed
RoHS Information	NoDecNee

Environmental	
RoHS Status	No declaration needed

Classifications	
ETIM 5	EC000357 - Rechargeable battery
ETIM 6	EC000357 - Rechargeable battery
ETIM 7	EC000357 - Rechargeable battery
eClass	V11.0 : 27050403
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Home\ and\ Building\ Automation \rightarrow Fire\ Alarm\ Systems \rightarrow Alarm\ System\ -\ BZK8E \rightarrow System\ Components$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Home\ and\ Building\ Automation \rightarrow Intrusion\ Alarm\ Systems \rightarrow Alarm\ System\ -\ GMA \rightarrow Lead\ Acid\ Batteries$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Home\ and\ Building\ Automation \rightarrow KNX \rightarrow Power\ Supply \rightarrow Lead\ Acid\ Batteries$ 

SAK17 3

