

PRODUCT-DETAILS

GRPE-125-9-C

GROMMETING EXTD NAT POLTHN .125 10



General Information

Extended Product Type	GRPE-125-9-C
Product ID	7TAG009750R0042
EAN	5414363023760
Catalog Description	GROMMETING EXTD NAT POLTHN .125 10
Long Description	Extruded Grommeting, Natural Polyethylene for Temperatures up to 85 Degrees Celsius (185 F), Height of 5.58mm (0.220 Inches), Width of 5.21mm (0.205 Inches), Thickness 1.27mm (0.05 Inches), Width Maximum Panel Thickness of 3.17mm (0.125 Inches), 30.48m (100 Foot) Reel

Ordering

EAN	5414363023760
-----	---------------

Dimensions

Product Net Length	0, mm
Product Net Depth / Length	100 ft 30.48 m

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	12 in 305 mm

Package Level 1 Height	1.5 in 38 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	10 piece
Package Level 2 Width	12.75 in 324 mm
Package Level 2 Height	13.5 in 343 mm
Package Level 2 Depth / Length	18 in 457 mm

Additional Information

Brand / Label	Ty-Rap
Color	Natural
Effective Date	19960215
Material	Polyethylene
Number of Batteries	0
Panel Thickness	0.125 in 3.17 mm
Product Name	POLYETHYLENE GROMMETING
Product Type	Grommeting
Special Functions	Used to line panel edges and knockouts where the chafing of wires is a concern
UPC	728494080901

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GRPE-125-9-C
Instructions and Manuals	GRPE-125-9-C

Classifications

ETIM 6	EC002604 - Cable bundle hose
ETIM 7	EC002604 - Cable bundle hose
UNSPSC	39131603
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5393 >> Grommet edging

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

