

PRODUCT-DETAILS

GSB080

2-PC INNER SLV CONN BLUE I.D. 0.08



General Information

Extended Product Type	GSB080
Product ID	7TAI029070R0005
EAN	5414363113553
Catalog Description	2-PC INNER SLV CONN BLUE I.D. 0.08
Long Description	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 5/16 Inch/7.9mm, Inner Diameter .080 Inches/2.00mm, Outer Diameter .103 Inches/2.63mm, Color Blue, Hard Bronze, Tin Plated

Ordering

EAN	5414363113553
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	1.1 in 28 mm
Package Level 1 Height	2.9 in 74 mm

Package Level 1 Depth / Length	2.09 in 53 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	4.4 in 112 mm
Package Level 2 Height	3.4 in 86 mm
Package Level 2 Depth / Length	6 in 152 mm

Additional Information

Brand / Label	Sta-Kon
Color	Blue
Effective Date	19680516
Material	Hard Bronze
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210812823

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSB080
Instructions and Manuals	GSB080

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

