

PRODUCT-DETAILS

GSB096

2-PC INNER SLV CONN PUR I.D. 0.096



General Information	
Extended Product Type	GSB090
Product ID	7TAI029070R000
EAN	541436311357
Catalog Description	2-PC INNER SLV CONN PUR I.D. 0.096
Long Description	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 5/16 Inch/7.9mm Inner Diameter .096 Inches/2.44mm, Outer Diameter .119 Inches/3.02mm, Color Purple, Hard Bronze, Tin Platec
EAN	5414363113577
Product Net Length	0, mm
Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	1.1 ir 28 mm
Package Level 1 Height	2.9 ir 74 mm

Package Level 1 Depth /	2.09 in
Length	53 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	4.4 in
	112 mm
Package Level 2 Height	3.4 in
	86 mm
Package Level 2 Depth /	6 in
Length	152 mm

Additional Information	
Brand / Label	Sta-Kon
Color	Purple
Effective Date	19680516
Material	Hard Bronze
Number of Batteries	0
Product Name	ELECTRICAL COUPLING
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210812885

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	GSB096	
Instructions and	GSB096	

Classifications		
ETIM 6	EC002650 - Connection for screened wires	
ETIM 7	EC002650 - Connection for screened wires	
UNSPSC	39121432	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals	

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$

GSB096 3

