

PRODUCT-DETAILS

## **GSB115**

## 2-PC INNER SLVE CONN SLV I.D. 0.115



<b>General Information</b>		
Extended Product Type	GSB115	
Product ID	7TAI029070R0010	
EAN	5414363113621	
Catalog Description	2-PC INNER SLVE CONN SLV I.D. 0.115	
Long Description	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 7.9mm, Inner Diameter 2.92mm, Outer Diameter 3.70mm, Color Silver, Hard Bronze, Tin Plated	

Ordering	
EAN	5414363113621

Dimensions	
Product Net Length	0, mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	1.3 in
	33 mm
Package Level 1 Height	3 in
	76 mm
Package Level 1 Depth /	2.5 in

Length	64 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	6.6 in 168 mm
Package Level 2 Height	3.5 in 89 mm
Package Level 2 Depth / Length	7.6 in 193 mm

Additional Information	
Brand / Label	Sta-Kon
Color	Gray
Effective Date	19701130
Material	Hard Bronze
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size.  Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210863566

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	GSB115
Instructions and Manuals	GSB115

Classifications	
ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$ 

GSB115 3

