

1000 piece

3 in 76 mm

3 in 76 mm

PRODUCT-DETAILS

## **GSB194**

Package Level 1 Units

Package Level 1 Width

Package Level 1 Height

## 2-PC INNER SLV CONN BLUE I.D. 0.194



Product ID  EAN  Catalog Description	7TAI029070R0020 5414363113744 2-PC INNER SLV CONN BLUE I.D. 0.194
Catalog Description	2 DC INNED CLY CONN DUTE LD 0.104
	2-PC INNER SEV CONN BLUE I.D. 0.194
Long Description In	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 5/16 Inch/7.9mm, ner Diameter .194 Inches/4.93mm, Outer Diameter .226 Inches/5.76mm, Color Blue, Hard Bronze, Tin Plated
Ordering	
EAN	5414363113744
Product Net Length	0, mm

Package Level 1 Depth /	3.5 in
Length	89 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	4 in
	102 mm
Package Level 2 Height	7.8 in
	198 mm
Package Level 2 Depth /	16.4 in
Length	417 mm

Additional Information	
Brand / Label	Sta-Kon
Color	Blue
Effective Date	19680516
Material	Hard Bronze
Number of Batteries	0
Product Name	ELECTRICAL COUPLING
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size.  Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210813103

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	GSB194
Instructions and Manuals	GSB194

Classifications	
ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$ 

GSB194 3

