

PRODUCT-DETAILS

GSB287

2-PC INNER SLV CONN SLV I.D. 0.287



General Information

Extended Product Type	GSB287
Product ID	7TAI029070R0030
EAN	5414363113843
Catalog Description	2-PC INNER SLV CONN SLV I.D. 0.287
Long Description	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 7.9mm, Inner Diameter 7.29mm, Outer Diameter 9.30mm, Color Silver, Hard Bronze, Tin Plated

Ordering

EAN	5414363113843
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4 in 102 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth /	4 in

Length	102 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	8.5 in 216 mm
Package Level 2 Height	3.5 in 89 mm
Package Level 2 Depth / Length	21.5 in 546 mm

Additional Information

Brand / Label	Sta-Kon
Color	Gray
Effective Date	19680516
Material	Hard Bronze
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210813240

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSB287
Instructions and Manuals	GSB287

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

