

PRODUCT-DETAILS

GSB375

2-PC INNER SLV CONN BLUE I.D. 0.375



General Information

Extended Product Type	GSB375
Product ID	7TAI029070R0034
EAN	5414363113881
Catalog Description	2-PC INNER SLV CONN BLUE I.D. 0.375
Long Description	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 5/16 Inch/7.9mm, Inner Diameter .375 Inches/9.52mm, Outer Diameter .406 Inches/10.30mm, Color Blue, Hard Bronze, Tin Plated

Ordering

EAN	5414363113881
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	6 in 152 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	12.7 in 323 mm
Package Level 2 Height	3.5 in 89 mm
Package Level 2 Depth / Length	24.2 in 615 mm

Additional Information

Brand / Label	Sta-Kon
Color	Blue
Effective Date	19680516
Material	Hard Bronze
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210813288

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSB375
Instructions and Manuals	GSB375

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

