

PRODUCT-DETAILS

GSB550

TWO-PIECE INNER SLV CONN BLUE RND



Product ID EAN 5414363114239 Catalog Description Two-PIECE INNER SLV CONN BLUE RND Long Description Two Piece Inner Sleeve Connector for Round Range, Length 11.2mm, Inner Diameter 13.97mm, Outer Diameter 15.75mm, Copper Alloy, Color Blue, Tin Plated Ordering EAN 5414363114239 Dimensions	Extended Product Type	GSB550
Catalog Description TWO-PIECE INNER SLV CONN BLUE RND Long Description Two Piece Inner Sleeve Connector for Round Range, Length 11.2mm, Inner Diameter 13.97mm, Outer Diameter 15.75mm, Copper Alloy, Color Blue, Tin Plated Ordering EAN 5414363114239 Dimensions		7TAI029070R0035
Two Piece Inner Sleeve Connector for Round Range, Length 11.2mm, Inner Diameter 13.97mm, Outer Diameter 15.75mm, Copper Alloy, Color Blue, Tin Plated Ordering EAN 5414363114239 Dimensions	EAN	5414363114239
Ordering EAN 13.97mm, Outer Diameter 15.75mm, Copper Alloy, Color Blue, Tin Plated 5414363114239 Dimensions	Catalog Description	TWO-PIECE INNER SLV CONN BLUE RND
EAN 5414363114239 Dimensions	Long Description	Two Piece Inner Sleeve Connector for Round Range, Length 11.2mm, Inner Diameter 13.97mm, Outer Diameter 15.75mm, Copper Alloy, Color Blue, Tin Plated
EAN 5414363114239 Dimensions	Oudorio n	
Dimensions	Ordering	
	EAN	5414363114239
	Dimensions	
Product Net Length 0, mm	Product Net Length	0, mm

Container Information		
Package Level 1 Units	50 piece	
Package Level 1 Width	3 in	
	76 mm	
Package Level 1 Height	3.5 in	
	89 mm	
Package Level 1 Depth /	3 in	

Length	76 mm
Package Level 2 Units	250 piece
Package Level 2 Width	7 in 178 mm
Package Level 2 Height	9.75 in 248 mm
Package Level 2 Depth / Length	3.12 in 79 mm

Additional Information	
Brand / Label	Sta-Kon
Color	Blue
Effective Date	19680424
Material	Copper
Number of Batteries	0
Product Name	COPPER GROUNDING RING
Product Type	Two-Piece Inner Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics.
UPC	786210813301

GSB550
GSB550

Classifications	
ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$

GSB550 3

