

PRODUCT-DETAILS

GSC1250

TWO-PIECE OUTER SLV CONN PINK RND



| 5414363114307 TWO-PIECE OUTER SLV CONN PINK RND Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter |
|--|
| |
| TWO-PIECE OUTER SLV CONN PINK RND Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter |
| Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter |
| Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter 31.75mm, Outer Diameter 33.78mm, Color Pink, Copper Alloy |
| |
| |
| |
| 5414363114307 |
| |
| |
| 0, mm |
| |

| Container Information | | |
|-------------------------|----------|--|
| Package Level 1 Units | 50 piece | |
| Package Level 1 Width | 4.5 in | |
| | 114 mm | |
| Package Level 1 Height | 6 in | |
| | 152 mm | |
| Package Level 1 Depth / | 3 in | |

| Length | 76 mm |
|-----------------------------------|--------------------|
| Package Level 2 Units | 250 piece |
| Package Level 2 Width | 8.5 in 216 mm |
| Package Level 2 Height | 10.25 in 260 mm |
| Package Level 2 Depth / Length | 8.5 in 216 mm |

| Additional Information | |
|-------------------------------|---|
| Brand / Label | Sta-Kon |
| Color | Pink |
| Effective Date | 19680424 |
| Material | Copper |
| Number of Batteries | 0 |
| Product Name | COPPER GROUNDING RING |
| Product Type | Two-Piece Outer Sleeve Connector |
| Special Functions | Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics. |
| UPC | 786210814124 |

| Certificates and Declarations (Document Number) | |
|---|---------|
| Data Sheet, Technical Information | GSC1250 |
| Instructions and Manuals | GSC1250 |

| Classifications | | |
|---------------------------------------|--|--|
| ETIM 6 | EC002650 - Connection for screened wires | |
| ETIM 7 | EC002650 - Connection for screened wires | |
| UNSPSC | 39121432 | |
| WEEE Category | Product Not in WEEE Scope | |
| IDEA Granular Category Code (IGCC) | 4603 >> Electrical terminals | |

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$

GSC1250 3

