

PRODUCT-DETAILS

# GSC1440

## TWO-PIECE OUTER SLV CONN PURPLE RND



### General Information

Extended Product Type	GSC1440
Product ID	7TAI029070R0046
EAN	5414363114338
Catalog Description	TWO-PIECE OUTER SLV CONN PURPLE RND
Long Description	Two Piece Outer Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter 36.58mm, Outer Diameter 38.61mm, Color Purple, Copper Alloy

### Ordering

EAN	5414363114338
-----	---------------

### Dimensions

Product Net Length	0, mm
--------------------	-------

### Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	6 in 152 mm
Package Level 1 Depth /	3 in

Length	76 mm
Package Level 2 Units	250 piece
Package Level 2 Width	8.5 in 216 mm
Package Level 2 Height	10.25 in 260 mm
Package Level 2 Depth / Length	8.5 in 216 mm

---

### Additional Information

Brand / Label	Sta-Kon
Color	Purple
Effective Date	19680424
Material	Copper
Number of Batteries	0
Product Name	COPPER GROUNDING RING
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics.
UPC	786210814155

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSC1440
Instructions and Manuals	GSC1440

---

### Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

