

PRODUCT-DETAILS

GSC156

2-PC OUTER SLVE CONN YEL I.D. 0.156



General Information

Extended Product Type	GSC156
Product ID	7TAI029060R0009
EAN	5414363114352
Catalog Description	2-PC OUTER SLVE CONN YEL I.D. 0.156
Long Description	Two Piece Outer Sleeve Connector for Hexagonal Range, Length 1/4 Inch/6.4mm, Inner Diameter .156 Inches/3.96mm, Outer Diameter .193 Inches/4.90mm, Color Yellow, Soft Bronze, Tin Plated

Ordering

EAN	5414363114352
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	2.8 in 71 mm
Package Level 1 Height	2.3 in 58 mm

Package Level 1 Depth / Length	3.3 in 84 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	6.5 in 165 mm
Package Level 2 Height	3.7 in 94 mm
Package Level 2 Depth / Length	12.5 in 318 mm

Additional Information

Brand / Label	Sta-Kon
Color	Yellow
Effective Date	19680516
Material	Soft Bronze
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Outer sleeve for the Hexagonal Range (the outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210813813

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSC156
Instructions and Manuals	GSC156

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

