

PRODUCT-DETAILS

GSC1670

2-PC OUTER SLV CONN RED RND 1.67



General Information

Extended Product Type	GSC1670
Product ID	7TAI029100R0036
EAN	5415022228182
Catalog Description	2-PC OUTER SLV CONN RED RND 1.67
Long Description	Two Piece Outer Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter 42.42mm, Outer Diameter 44.45mm, Color Red, Copper Alloy

Ordering

EAN	5415022228182
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 2 Units	50 piece
Package Level 2 Width	3 in 76 mm
Package Level 2 Height	6 in 152 mm
Package Level 2 Depth /	4.5 in

Length	114 mm
Package Level 3 Units	250 piece
Package Level 3 Width	8.5 in 216 mm
Package Level 3 Height	10.25 in 260 mm
Package Level 3 Depth / Length	8.5 in 216 mm

Additional Information

Brand / Label	Sta-Kon
Color	Red
Effective Date	20110516
Material	Copper Alloy
Number of Batteries	0
Product Name	ELECTRICAL CONNECTOR,<1000V
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics.
UPC	786209984333

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSC1670
Instructions and Manuals	GSC1670

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

