

PRODUCT-DETAILS

GSC225

2-PC OUTER SLV CONN PUR I.D. 0.225



General Information

Extended Product Type	GSC225
Product ID	7TAI029070R0049
EAN	5414363114468
Catalog Description	2-PC OUTER SLV CONN PUR I.D. 0.225
Long Description	Two Piece Outer Sleeve Connector for Hexagonal Range, Length 1/4 Inch/6.4mm, Inner Diameter .225 Inches/5.71mm, Outer Diameter .256 Inches/6.50mm, Color Purple, Soft Bronze, Tin Plated

Ordering

EAN	5414363114468
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	3.3 in 84 mm
Package Level 1 Height	3.2 in 81 mm

Package Level 1 Depth / Length	3.8 in 97 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	7.5 in 191 mm
Package Level 2 Height	3.5 in 89 mm
Package Level 2 Depth / Length	16.4 in 417 mm

Additional Information

Brand / Label	Sta-Kon
Color	Purple
Effective Date	19680516
Material	Soft Bronze
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Outer sleeve for the Hexagonal Range (the outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210813899

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSC225
Instructions and Manuals	GSC225

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

