

3 in

76 mm

PRODUCT-DETAILS

GSC261

Package Level 1 Height

2-PC OUTER SLVE CONN YEL I.D. 0.261



Extended Product Type	GSC26
Extended Product Type	
Product ID	7TAI029060R0016
EAN	5414363114482
Catalog Description	2-PC OUTER SLVE CONN YEL I.D. 0.26
Long Description	Two Piece Outer Sleeve Connector for Hexagonal Range, Length 1/4 Inch/6.4mm, Inne Diameter .261 Inches/6.63mm, Outer Diameter .297 Inches/7.54mm, Color Yellow, Sof Bronze, Tin Platec
Ordering	
Ordering EAN	5414363114488
	5414363114482
EAN	5414363114482
	5414363114482 0, mm
EAN Dimensions	
EAN Dimensions	
Dimensions Product Net Length	

Package Level 1 Depth / Length	3.5 in 89 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	9.5 in 241 mm
Package Level 2 Height	6.8 in 173 mm
Package Level 2 Depth / Length	16.1 in 409 mm

Additional Information	
Brand / Label	Sta-Kon
Color	Yellow
Effective Date	19680516
Material	Soft Bronze
Number of Batteries	0
Product Name	ELECTRICAL COUPLING
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Outer sleeve for the Hexagonal Range (the outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210813929

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	GSC261
Instructions and Manuals	GSC261

Classifications		
ETIM 6	EC002650 - Connection for screened wires	
ETIM 7	EC002650 - Connection for screened wires	
UNSPSC	39121432	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals	

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$

GSC261 3

