

PRODUCT-DETAILS

# GSC275

## 2-PC OUTER SLVE CONN SLV I.D. 0.275



### General Information

Extended Product Type	GSC275
Product ID	7TAI029070R0050
EAN	5414363114499
Catalog Description	2-PC OUTER SLVE CONN SLV I.D. 0.275
Long Description	Two Piece Outer Sleeve Connector for Hexagonal Range, Length 1/4 Inch/6.4mm, Inner Diameter .275 Inches/6.98mm, Outer Diameter .306 Inches/7.77mm, Color Silver, Soft Bronze, Tin Plated

### Ordering

EAN	5414363114499
-----	---------------

### Dimensions

Product Net Length	0, mm
--------------------	-------

### Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4 in 102 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	4 in 102 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	4.19 in 106 mm
Package Level 2 Height	8.8 in 224 mm
Package Level 2 Depth / Length	21.8 in 554 mm

### Additional Information

Brand / Label	Sta-Kon
Color	Gray
Effective Date	19680516
Material	Soft Bronze
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Outer sleeve for the Hexagonal Range (the outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210813936

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSC275
Instructions and Manuals	GSC275

### Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

