

50 piece

3 in 76 mm

3.5 in 89 mm

3 in

PRODUCT-DETAILS

GSC590

2-PC OUTER SLV CONN RED RND 0.194



Container Information

Package Level 1 Units

Package Level 1 Width

Package Level 1 Height

Package Level 1 Depth /

General Information	
Extended Product Type	GSC590
Product ID	7TAI029060R0020
EAN	5414363114901
Catalog Description	2-PC OUTER SLV CONN RED RND 0.194
Long Description	Two Piece Outer Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter 14.99mm, Outer Diameter 17.02mm, Color Red, Copper Alloy
Ordering	
EAN	5414363114901
Dimensions	
Product Net Length	0, mm

Length	76 mm
Package Level 2 Units	250 piece
Package Level 2 Width	7 in 178 mm
Package Level 2 Height	9.75 in 248 mm
Package Level 2 Depth / Length	3.125 in 79 mm

Additional Information	
Brand / Label	Sta-Kon
Color	Red
Effective Date	19680424
Material	Copper
Number of Batteries	0
Product Name	OTHER ARTICLE OF COPPER
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics.
UPC	786210814070

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	GSC590	
Instructions and	GSC590	
Manuals		

Classifications		
ETIM 6	EC002650 - Connection for screened wires	
ETIM 7	EC002650 - Connection for screened wires	
UNSPSC	39121432	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals	

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$

GSC590 3

