

0, mm

PRODUCT-DETAILS

GSC840

Product Net Length

TWO-PIECE OUTER SLV CONN SILVER RND



Extended Product Type	GSC840	
Product ID	7TAI029060R0022	
EAN	5414363114925	
Catalog Description	TWO-PIECE OUTER SLV CONN SILVER RND	
Long Description	Two Piece Outer Sleeve Connector for Round Range, Length 15.2mm, Inner Diameter 21.34mm, Outer Diameter 23.37mm, Color Silver, Copper Alloy	
Ordering		

Container Information		
Package Level 1 Units	50 piece	
Package Level 1 Width	3 in	
	76 mm	
Package Level 1 Height	3.5 in	
	89 mm	
Package Level 1 Depth /	3 in	

Length	76 mm
Package Level 2 Units	250 piece
Package Level 2 Width	7.25 in 184 mm
Package Level 2 Height	4 in 102 mm
Package Level 2 Depth / Length	9.75 in 248 mm

Additional Information	
Brand / Label	Sta-Kon
Color	Gray
Effective Date	19680424
Material	Copper
Number of Batteries	0
Product Name	OTHER ARTICLE OF COPPER
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Circular Range (the corresponding outer sleeve is crimped with a hydraulic head and the result is a circular-shaped crimp), for grounding multiple or overall shielded cables. The sleeves are color coded according to their size. Applications in communications, aerospace, and electronics.
UPC	786210814094

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	GSC840	
Instructions and	GSC840	

Classifications		
ETIM 6	EC002650 - Connection for screened wires	
ETIM 7	EC002650 - Connection for screened wires	
UNSPSC	39121432	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals	

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$

GSC840 3

