

PRODUCT-DETAILS

GYS375-E-D

SHRINK-KON BOX 6,5M GREEN/YELLOW



General Information

Extended Product Type	GYS375-E-D
Product ID	7TCA017300R0275
EAN	5414363103929
Catalog Description	SHRINK-KON BOX 6,5M GREEN/YELLOW
Long Description	Flexible Green/Yellow Heat Shrink Tubing 3/8 Inch, 6.5M, Shrink Ratio 3:1, Thin Walled, Material - Crosslinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering

E-Number (Finland)	5211281
EAN	5414363103929

Dimensions

Product Net Weight	.448 lb 203.175 g
--------------------	----------------------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	2.4 in 61 mm
Package Level 1 Height	6.7 in

	170 mm
Package Level 1 Depth / Length	6.7 in 170 mm
Package Level 2 Units	60 piece
Package Level 2 Width	15.8 in 401 mm
Package Level 2 Height	22.5 in 572 mm
Package Level 2 Depth / Length	20.9 in 531 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Green/Yellow
Flammability Hazard Rating	Flame Retardant
Number of Batteries	0
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thin
UPC	786210516264

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GYS375-E-D
Instructions and Manuals	GYS375-E-D

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

