

PRODUCT-DETAILS

L-11-50MH-0-C

CABLE TIE 50LB 11IN BLK NYL MTG HOL



General Information

Extended Product Type	L-11-50MH-0-C
Product ID	7TAG054670R0001
EAN	5414363025450
Catalog Description	CABLE TIE 50LB 11IN BLK NYL MTG HOL
Long Description	Integrated Mounting Hole Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet for Indoor and Outdoor Applications, Length of 309mm (12.1 Inches), Width of 4.8mm (0.19 Inch), Thickness of 1.3mm (0.05 Inch), Tensile Strength Rating of 222 Newtons (50 Pounds), #10 Screw for Mounting, 100 Pack

Ordering

EAN	5414363025450
-----	---------------

Dimensions

Product Net Width	0.19 in 4.8 mm
Product Net Depth / Length	12.1 in 309 mm
Product Net Weight	.006 lb 2.721 g

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	2 in 51 mm
Package Level 1 Depth / Length	15 in 381 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	13.3 in 338 mm
Package Level 2 Height	10.7 in 272 mm
Package Level 2 Depth / Length	16.5 in 419 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.0625 to 3 in 1.59 to 76.2 mm
Color	Black
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6 Weather Resistant
Number of Batteries	0
Product Name	NYLON CABLE TIE
Product Type	Intergrated Mounting Hole
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm
UPC	728494910604

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	L-11-50MH-0-C
Instructions and Manuals	L-11-50MH-0-C

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

