



PRODUCT-DETAILS

L-14-120MH-9-C

CABLE TIE 120LB 15IN NAT NYL HEAVY



General Information

Extended Product Type	L-14-120MH-9-C
Product ID	7TAG054670R0005
EAN	5414363025566
Catalog Description	CABLE TIE 120LB 15IN NAT NYL HEAVY
Long Description	Integrated Mounting Hole Heavy-Duty Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 382mm (15 Inches), Width of 7.6mm (0.3 Inch), Thickness of 1.8mm (0.07 Inch), Tensile Strength Rating of 540 Newtons (120 Pounds), #10 Screw for Mounting, 100 Pack

Ordering

EAN	5414363025566
-----	---------------

Dimensions

Product Net Width	0.3 in 7.6 mm
Product Net Depth / Length	15 in 382 mm
Product Net Weight	.02 lb 9.07 g

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	6 in 152 mm
Package Level 1 Height	2 in 51 mm
Package Level 1 Depth / Length	20 in 508 mm
Package Level 2 Units	2000 piece
Package Level 2 Width	13.1 in 333 mm
Package Level 2 Height	12.8 in 325 mm
Package Level 2 Depth / Length	18.2 in 462 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.187 to 4 in 4.76 to 101.6 mm
Color	Natural
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIE
Product Type	Intergrated Mounting Hole
Standards	UL E49405
Tensile Strength	120 lb 540 N
Thickness	0.07 in 1.8 mm
UPC	728494911502

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	L-14-120MH-9-C
Instructions and Manuals	L-14-120MH-9-C

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

