



PRODUCT-DETAILS

L-14-50MH-9-C

CABLE TIE 50LB 15IN NAT NYL MTG HOL



General Information

Extended Product Type	L-14-50MH-9-C
Product ID	7TAG054670R0006
EAN	5414363025733
Catalog Description	CABLE TIE 50LB 15IN NAT NYL MTG HOL
Long Description	Integrated Mounting Hole Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 380mm (14.9 Inches), Width of 4.8mm (0.19 Inch), Thickness of 1.3mm (0.05 Inch), Tensile Strength Rating of 222 Newtons (50 Pounds), #10 Screw for Mounting, 100 Pack

Ordering

EAN	5414363025733
-----	---------------

Dimensions

Product Net Width	0.19 in 4.8 mm
Product Net Depth / Length	14.9 in 380 mm
Product Net Weight	.006 lb 2.721 g

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	2.25 in 57 mm
Package Level 1 Depth / Length	19 in 483 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	13 in 330 mm
Package Level 2 Height	13.6 in 345 mm
Package Level 2 Depth / Length	17.6 in 447 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.0625 to 4 in 1.59 to 101.6 mm
Color	Natural
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIE
Product Type	Intergrated Mounting Hole
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm
UPC	728494912202

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	L-14-50MH-9-C
Instructions and Manuals	L-14-50MH-9-C

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

